

tecdesk

Bienvenue dans l'univers révolutionnaire du
**Téléphone de bureau à carte
SIM**



tecdesk.com

le Groupe Santok / Tecdesk

- Filiale du groupe Santok qui a plus de **20 ans d'expérience** dans l'industrie des télécommunications
- Un groupe multinational, multimarque **ODM** qui conçoit, fabrique et distribue des téléphones mobiles, des accessoires et téléphones fixes sans fil (**FWPs**)
- 3 divisions de produits : STK, Tecdesk et Tecmobile qui ont leur siège à Londres. Nous travaillons avec les **distributeurs**, les **détaillants**, les **opérateurs mobiles** et **MVNO** à travers **le monde entier**
- Tecdesk est une marque sur un **marché nouveau et innovant dans l'univers des téléphones de bureau sans fil**, Tecdesk dispose d'une large gamme de produits avec des fonctionnalités adaptées en fonction des besoins des consommateurs



Mission & Valeurs

Notre objectif

Repousser les limites de l'innovation dans la communication mobile.

Notre priorité est de développer des produits qui:

Augmentent les commodités , l'accessibilité

Permettent l'expression personnelle

Offrent des expériences de communication agréables

Nos valeurs

Passion et enthousiasme envers notre personnel et tous les collaborateurs

Fiabilité pour nos partenaires et nos consommateurs

La qualité dans tous les aspects de notre entreprise

Réinvestissement des profits dans la recherche et l'innovation pour assurer une croissance continue



Santok in Telecoms

Les deux dernières décennies ont vu grandir à travers Santok :

- Expansion progressive
- Acquisition stratégiques
- Alliances fabricants
- Alliances de distribution

- 1993** - Entrée dans le monde télécoms comme revendeur de matériel
- 2000** - Classé 27 dans The Times 100 entreprises les plus dynamiques du Royaume-Uni
- 2000** - *Mobile Awards* - Décerné comme meilleur fabricant d'accessoires ODM
- 2003** - Devient un fabricant OEM conception / production
- 2008** - Développement sur le marché de la téléphonie sans fil
- 2009** - Mise en place supply chain et de R & D en Asie du Sud-est
- 2011** - Déménagement des bureaux et de la plate-forme logistique
- 2011** - Ouverture centres de distribution en Allemagne / France / Pologne desservant l'Europe
- 2011** - Ouverture centres de distribution Dubai, India and South Africa
- 2012** - Développement sur le marché des téléphones mobiles
- 2013** - **Première Mondiale** : Téléphone de bureau sans fil Android : Tecdesk 5500

Une présence mondiale

UK	China
France	Dubai &
Germany	Middle East
Benelux	India
Poland	
Romania	
Sweden	
Switzerland	
USA	



Siège social UK avec bureaux dans le monde entier

Tecdesk – Une évolution

La nécessité des téléphones fixes

La technologie mobile fait partie intégrante de la vie quotidienne rendant les lignes fixes de plus en plus redondantes. Toutefois, la nécessité pour certaines lignes fixes demeure.

Révolutionner l'utilisation au domicile et au travail

Ces nouveaux téléphones vont révolutionner les capacités d'utilisation du téléphone fixe de bureau en home office et travail avec la convergence IT

L'élégance rencontre à l'innovation

Notre objectif: conjuguer l'élégance à l'innovation technologique intuitive
Résultat: des produits qui augmentent la commodité pour nos clients



Bénéfices pour le client

Réduction des coûts

Économies sur les factures de téléphone avec des forfaits combinés de téléphonie mobile et dépenses d'exploitation réduites. Aucune installation filaire et pas de coûts de maintenance, mise en place immédiate



Wirefree & flexible et confort

Facilement mouvement d'un endroit à un autre avec des périphériques virtuels complets PABX WIREFREE et intégration de systèmes facile avec la pleine compatibilité Hayes. C'est aussi une solution pour travailler confortablement au bureau ou home office: Qualité d'écoute et d'utilisation




Fonctionnalités Smartphone

La navigation sur Internet permet un accès aux applications standards ou Apps que vous avez développé vous même pour votre besoin



Bénéfices pour les opérateurs réseaux



Etendre les propositions en B2B

- Extension naturelle des produits à base de carte SIM pour vendre plus aux entreprises des nouvelles offres de téléphonie mobile
- Différencier de ses concurrents
- Étendre / diversifier les sources de revenus


Augmenter le revenu

- Créer des packages incitatifs en combinant des tarifs de téléphonie mobile avec des contrats de téléphonie fixe
- Se démarquer de la concurrence

Booster l'usage/ ARPU

- Atteindre des taux plus élevés d'ARPU grâce à une utilisation confortable du téléphone.
- La durée des appels offrant du service en seront plus longue, usage accru sur appels internationaux etc.

Bénéfices distribution et revendeurs



Etendre les propositions en B2B

- Extension naturelle des produits à base de carte SIM pour vendre plus aux entreprises des nouvelles offres de téléphonie mobile
- Différencier de ses concurrents
- Étendre / diversifier les sources de revenus

Mettre en place dans les Nouveaux Marchés

- Unifier les contrats de ligne mobile / fixe et créer des packages incitatifs pour concurrencer les fournisseurs de téléphonie fixe
- Établir votre part dans les nouveaux marchés et sur les nouveaux forfaits low cost

Facile à

Déployer une gamme facilement dans votre offre

Pas besoin de système ou intégrations de réseaux

La formation des équipes de vente est minimal

Pourquoi Tecdesk ?

R&D Excellence/ Gamme

- R & D focus / partenariats ont donné lieu à un choix de téléphones pour répondre à tout les besoins:

Du particuliers, aux petites et moyennes entreprises sans oublier des solutions grandes entreprises où convergence entre IT et télécom est une nécessité et fonctionnant avec du personnel décentralisé

Market Leader

- Leader du marché en matière de technologie sans fil avec plus de 400.000 unités en circulation à ce jour

Nous sommes le symbole de la technologie des téléphones de bureau sans fil

Design/ Development Experience

- développement / Design est dirigé par une équipe d'experts issue de fabricants tels que:

... Samsung, Blackberry et HTC par exemple

Flexible et Reactif

- Capable de fournir des personnalisation produit dans des volumes raisonnables de commandes

Projets ODM - Vodafone / Telenor

Certifications qualité

- Niveau et qualité de fabrication vérifiées par des organismes officiels de l'industrie

Certifié ISO 9001 / l'un des seuls fabricants certifiés GCF au Royaume-Uni

Opportunités de marché maximum

Se démarquer de la concurrence et capitaliser sur les opportunités de revenus au travers de larges secteurs d'activités



Partenaires qui nous font déjà confiance



tecdesk

La gamme de produits

Produits de la gamme Tecdesk

Tecdesk dispose d'une gamme de téléphones fixes sans fil qui ont été développés autour des tendances et exigences actuelles de la téléphonie.



Tecdesk 1000

The Choice for Home and Hotel

Bandwidth

2G - GSM 900/1800 MHz
3G - UMTS 900/ 2100 MHz

Features

Supports AT Hayes Command set for integration into Multi-Line or IP Centrex systems
Compatible with virtual PBX service from your network provider
6 memory keys for quick dial
Security - network, SIM and phone

Specifications

Black and white 1.6" LCD display
Dimensions: 160*192*73 (mm)
Battery: 650mAh Ni-HM
Talk time: 2hrs
Standby time: 110hrs
Charge time: 2 - 3hrs

Screen



Memory Keys



Security



Loud Speaker



Headset Connection



Tecdesk 1000

Specifications

General

Frequency	2G 3G	GSM 900/ 1800MHz UMTS 900/ 2100MHz
Language		EN/ES (OEM avail)
Battery Type		Ni HM
Battery Capability		650mAh
Blue tooth		-
Antenna		Embedded
Dimensions		160*192*73mm
Talk Time		2hrs
Standby Time		110hrs
Charge Time		2-3hrs
SIM Card		1.8/3.0v
Operating System		REX
Software Platform		Brew3.15/Brew4.0
Hardware Platform		Qualcomm QSC6240

Display

LCD Colour	Black & White
Material	FSTN
Resolution	64*128
Dimension	1.6"
Backlight	White
Signal Indication	Level 0-4
Battery Indication	Level 0-4
Power On/Off Animation	Yes
Network Display	Yes
Wallpaper	-

Keypad

0 ~ 9 * #	Yes
Power Button	Yes
Call Button	Yes
Cancel Button	Yes
Mute Button	-
Handsfree Button	-
Last Number Redial Button	-
Navigation Button	Yes
Memory Button	M1-M6 (can be configured)
Function Button	-

Call

Call History	-
Speed Dial	Yes
FDN	Yes
ECT	-
DTMF	Yes
Auto Redial	-
Voice-Mail	-
Conference Call	-
USSD	Yes

Audio

Speaker	Mono Speaker
Polyphony	72
Midi Ring	Yes
Headset	-
EHS Compatible	-
Keypad Sound	Yes
Voice Channel Switch	Receiver only
Power On/Off Audio	No (can be configured)
Volume Level	1~5

Security

SIM Lock-SIM	Yes
Phone Lock	-
Network Lock	Yes
Power ON Code	-
Special SIM Support	Yes
Pin Lock-PIN	Yes
Security Configuration	-

Data

SAT	N/A
USB Modem	-
PC Sync	-
IP Centrex	-

Tools

Calculator	N/A
Alarm	N/A
Calendar	N/A

Input/Message

Input Switch	#
Symbol Switch	*
SMS	-

Phonebook

Caller ID Display	-
Capacity	-
Copy	-
Group	-
Contact Editing	-

Accessories

Data and Charging Cable	Yes
User Manual	Yes
Charger	2Pin (3Pin optional)

Expansion Module

Display	N/A
Speed Dial	N/A
Virtual Presence	N/A
Additional Units	N/A

Approved Standard

CE	Yes
RoHS	Yes
SAR	0.173W/Kg

Tecdesk 8000

For Every Desk

Bandwidth

2G - GSM 900/1800 MHz

3G - UMTS 2100 MHz

Features

- Supports AT Hayes Command set for integration into Multi-Line or IP Centrex systems
- Compatible with virtual PBX service from your network provider
- Microsoft Outlook contact synchronisation
- Loudspeaker hands-free call function
- LED incoming call indicator
- Dedicated function keys for hold, forwarding and conference calls
- SMS messaging capabilities from PC suite
- 3 memory keys for quick dial
- Security - network, SIM, phone and battery compartment

Specifications

- 2.6" adjustable 262K colour LCD display with 240*320px resolution
- Dimensions: 187*230*70 (mm)
- Battery Type: 650mAh Li- polymer
- Talk time: 4hrs
- Standby time: 140 - 160hrs
- Charge time: 2 - 3hrs
- Phonebook capacity: 2000 internal entries
- Supports multi-languages
- Headphone connection: 3.5mm audio port

Screen



PC Suite



Memory Keys



Call Transfer



Security



Rechargeable



Tecdesk 8000

Specifications

General

Frequency	2G 3G	GSM 900/1800MHz UMTS 2100MHz EN/ES/NO/DK (OEM avail)
Language		Lithium Polymer
Battery Type		650mAh
Battery Capability		-
Bluetooth		Embedded
Antenna		187*230*70mm
Dimensions		4hrs
Talk Time		140-160hrs
Standby Time		2-3hrs
Charge Time		1.8v/3.0v
SIM Card		REX
Operating System		Brew3.15/Brew 4.0
Software Platform		Qualcomm MSM6290
Hardware Platform		

Display

LCD	Colour	Colour 262K
	Material	TFT
	Resolution	240*320
	Dimension	2.6"
	Backlight	White
Signal Indication		Level 0-4
Battery Indication		Level 0-4
Power On/Off Animation		Yes
Network Display		Yes
Wallpaper		Yes

Keypad

0-9*#	Yes
Power Button	Yes
Call Button	Yes
Cancel Button	Yes
Mute Button	Yes
Handsfree Button	Yes
Last Number Redial Button	Yes
Navigation Button	Yes
Memory Button	M1-M3
Function Button	Yes

Call

Call History	20*3
Speed Dial	Yes
FDN	Yes
ECT	Yes
DTMF	Yes
Auto Redial	Yes
Voice-Mail	Yes
Conference Call	Yes
USSD	Yes

Audio

Speaker	Mono Speaker
Polyphony	72
Midi Ring	Yes
Headset	3.5mm Jack
EHS Compatible	-
Keypad Sound	Yes
Voice Channel Switch	Receiver & Handsfree
Power On/Off Audio	No (can be configured)
Volume Level	1-5

Security

SIM Lock-SIM	Yes
Phone Lock	Yes
Network Lock	Yes
Power ON Code	Yes
Special SIM Support	Yes
Pin Lock-PIN	Yes
Security Configuration	Yes

Data

SAT	Yes
USB Modem	Yes
PC Sync	Yes
IP Centrex	Yes

Tools

Calculator	Yes
Alarm	Yes
Calendar	Yes
Input/Message	
Input Switch	#
Symbol Switch	*
SMS	No

Phonebook

Caller ID Display	Yes
Capacity	2000
Copy	Yes
Group	Yes
Contact Editing	Yes

Accessories

Data and Charging Cable	Yes
User Manual	Yes
Charger	2Pin (3Pin optional)

Expansion Module

Display	N/A
Speed Dial	N/A
Virtual Presence	N/A
Additional Units	N/A

Approved Standards

CE	Yes
RoHS	Yes
SAR	0.996W/Kg

Tecdesk 8800

Advanced Functionality on a Business Phone

Bandwidth

2G - GSM 900/1800 MHz

3G - UMTS 2100 MHz

Features

- Supports AT Hayes Command set for integration into Multi-Line or IP Centrex systems Compatible with virtual PBX service from your network provider
- Microsoft Outlook contact synchronisation
- SMS messaging capabilities from PC suite
- Hands-free conference call loudspeaker
- 10 memory keys for quick dial
- Dedicated function keys for hold, forwarding and conference calls
- Wireless Bluetooth headset and 3.5mm headphone connectivity
- Security - network and SIM and phone lock

Specifications

- 4" black and white illuminated widescreen LCD display with 128*160px resolution
- Dimensions: 245*198*55 (mm)
- Battery: 650mAh Li- polymer
- Talk time: 3hrs
- Standby time: 120 - 140hrs
- Charge time: 2 - 3hrs
- Headphone connection: 3.5mm audio port
- Phone book capacity: 5000 internal entries
- Supports multi-languages
- Desktop stands for 2 height levels Small stand: 245*198*88 (mm)/Tall Stand 245*198*176 (mm)
- Wall mountable option

Screen



PC Suite



Memory Keys



Bluetooth Connectivity



Loud Speaker



Rechargeable



Tecdesk 8800

Specifications

General

Frequency	2G 3G	GSM 900/1800MHz UMTS 2100MHz
Language		EN/ES/NO/DK (OEM avail)
Battery Type		Lithium polymer
Battery Capability		650mAh
Bluetooth		V2.1
Antenna		Embedded
Dimensions		245*198*55mm 245*198*88mm (small stand) 245*198*176mm (tall stand)
Talk Time		3hrs
Standby Time		120-140hrs
Charge Time		2-3hrs
SIM Card		18v/3.0v
Operating System		REX
Software Platform		Brew3.15, Brew4.0
Hardware Platform		Qualcomm MSM6290

Display

LCD	Colour	Black & White
	Material	TFT
	Resolution	128*160
	Dimension	4"
	Backlight	White
Signal Indication		Level 0-5
Battery Indication		Level 0-4
Power On/Off Animation		Yes
Network Display		Yes
Wallpaper		Yes

Keypad

0-9 * #	Yes
Power Button	Yes
Call Button	Yes
Cancel Button	Yes
Mute Button	Yes
Handsfree Button	Yes
Last Number Redial Button	Yes
Navigation Button	Yes
Memory Button	M1-M10
Function Button	Yes

Call

Call History	20*3
Speed Dial	Yes
FDN	Yes
ECT	Yes
DTMF	Yes
Auto Redial	Yes
Voice-Mail	Yes
Conference Call	Yes
USSD	Yes

Audio

Speaker	Mono Speaker
Polyphony	72
Midi Ring	Yes
Headset	3.5mm Jack/Bluetooth
EHS Compatible	-
Keypad Sound	Yes
Voice Channel Switch	Receiver & Handsfree, BT
Power On/Off Audio	No (can be configured)
Volume Level	1-5

Security

SIM Lock-SIM	Yes
Phone Lock	Yes
Network Lock	Yes
Power ON Code	Yes
Special SIM Support	Yes
Pin Lock-PIN	Yes
Security Configuration	Yes

Data

SAT	Yes
USB Modem	Yes
PC Sync	Yes
IP Centrex	Yes

Tools

Calculator	Yes
Alarm	Yes
Calendar	Yes
Input/Message	
Input Switch	#
Symbol Switch	*
SMS	Yes

Phonebook

Caller ID Display	Yes
Capacity	5000
Copy	Yes
Group	Yes
Contact Editing	Yes

Accessories

Data and Charging Cable	Yes
User Manual	Yes
Charger	2Pin (3Pin optional)

Expansion Module

Display	N/A
Speed Dial	N/A
Virtual Presence	N/A
Additional Units	N/A

Approved Standards

CE	Yes
RoHS	Yes
SAR	0.565W/Kg

Tecdesk 3500

Full Colour Screen and Easy to Use

Bandwidth

2G - GSM 900/1800 MHz
3G - UMTS 900/2100 MHz

Features

- Supports AT Hayes Command set for integration into Multi-Line or IP Centrex systems
- Compatible with virtual PBX service from your network provider
- Microsoft Outlook contact synchronisation
- Loudspeaker hands-free call function
- LED incoming call indicator
- Dedicated function keys for hold, forward and conference calls
- SMS messaging capabilities from PC suite
- 8 memory keys for quick dial
- Security - network, SIM and phone

Specifications

- 2.8" adjustable 262K colour LCD display with 240*320px resolution
- Dimensions: 240*190*40 (mm)
- Battery Type: 650mAh Li- polymer
- Talk time: 3hrs
- Standby time: 140 - 160hrs
- Charge time: 2 - 3hrs
- Phone book capacity: 2000 internal entries
- Supports multi-languages
- Headphone connection: 3.5mm audio port
- Adjustable aluminium desktop stand for 2 height levels
- Wall mountable option

Screen



PC Suite



Memory Keys



Security



Loud Speaker



Headset Connection



Tecdesk 3500

Specifications

General

Frequency	2G 3G	GSM 900 / 1800MHz UMTS 900 / 2100MHz
Language		EN/ES (OEM avail)
Battery Type		Lithium polymer
Battery Capability		650mAh
Blue tooth		-
Antenna		Embedded
Dimensions		240*190*40mm
Talk Time		3hrs
Standby Time		140-160hrs
Charge Time		2-3hrs
SIM Card		1.8/3.0v
Operating System		REX
Software Platform		Brew3.15/Brew4.0
Hardware Platform		Qualcomm QSC6240

Display

LCD	Colour	Colour 262k
	Material	TFT
	Resolution	240*320
	Dimension	2.8"
	Backlight	White
Signal Indication		Level 0-4
Battery Indication		Level 0-4
Power On/Off Animation		Yes
Network Display		Yes
Wallpaper		Yes

Keypad

0 ~ 9 * #	Yes
Power Button	Yes
Call Button	Yes
Cancel Button	Yes
Mute Button	Yes
Handsfree Button	Yes
Last Number Redial Button	Yes
Navigation Button	Yes
Memory Button	M1-M8 (can be configured)
Function Button	Yes

Call

Call History	20*3
Speed Dial	Yes
FDN	Yes
ECT	Yes
DTMF	Yes
Auto Redial	Yes
Voice-Mail	Yes
Conference Call	Yes
USSD	Yes

Audio

Speaker	Mono Speaker
Polyphony	72
Midi Ring	Yes
Headset	3.5mm Jack
EHS Compatible	-
Keypad Sound	Yes
Voice Channel Switch	Receiver & Handsfree
Power On/Off Audio	No (can be configured)
Volume Level	1~6

Security

SIM Lock-SIM	Yes
Phone Lock	Yes
Network Lock	Yes
Power ON Code	Yes
Special SIM Support	Yes
Pin Lock-PIN	Yes
Security Configuration	Yes

Data

SAT	Yes
USB Modem	Yes
PC Sync	Yes
IP Centrex	Yes

Tools

Calculator	Yes
Alarm	Yes
Calendar	Yes
Input/Message	
Input Switch	#
Symbol Switch	*
SMS	Yes

Phonebook

Caller ID Display	Yes
Capacity	2000
Copy	Yes
Group	Yes
Contact Editing	Yes

Accessories

Data and Charging Cable	Yes
User Manual	Yes
Charger	2Pin (3Pin optional)

Expansion Module

Display	N/A
Speed Dial	N/A
Virtual Presence	N/A
Additional Units	N/A

Approved Standards

CE	Yes
RoHS	Yes
GCF	Yes
SAR	1.22W/Kg

Tecdesk Smart 5500

Android on your desk phone

Bandwidth

2G - GSM 900/1800/850/1900 MHz

3G - UMTS 900/2100 MHz

Features

Supports AT Hayes Command set for integration into Multi-Line or IP Centrex systems

Compatible with virtual PBX service from your network provider

Personal hot-spot internet sharing function

Can be part of a Local Area Network via Wi-Fi

Customisable SIP phone features via app

Virtual Presence to indicate "Free", "Busy" and

"Not Available" status*

Wi-Fi connection provides alternative call function for Fail

Over Protection (FOP) from network interruptions

External antenna connection port to enhance reception in poor signal areas

Compatible with Electronic Hook Switch (EHS) solution

Video camera supports VOIP Protocol

Wireless Bluetooth headset and 3.5mm headphone connectivity

Specifications

5" colour TFT capacitive LCD touchscreen with WVGA

480*800px resolution

Dimensions: 230*180*125 (mm)

Battery: 2200mAh Li- polymer

Talk time: 4-5hrs

Standby time: 140 -160hrs

Charge time: 2.5 - 3.5 hrs

Phonebook capacity: 6000 internal or server entries



*On expansion module

Tecdesk Smart 5500

Specifications

General

Frequency	2G 3G	GSM 900 / 1800MHz UMTS 900 / 2100MHz
Language	Supports multiple languages	
Battery Type	Lithium polymer	
Battery Capability	2200 mAh	
Bluetooth	V3.0	
Antenna	Embedded (Supports external antenna)	
Dimensions	230*180*125mm (main device) 105*180*115mm (Expansion Module)	
Talk Time	4-5hrs	
Standby Time	140-160hrs	
Charge Time	2.5-3.5hrs	
SIM Card	1.8v/3.0v	
Operating System	Linux 2.6.38.6	
Software Platform	Android 2.3.5	
Camera	3MP	
Hardware Platform	Qualcomm MSM7227A (1G)	

Display

LCD	Colour Material Resolution Dimension	Captive Touch LCD TFT 480*800 5" Captive Touch Screen
	Backlight	White
	Signal Indication	Level 0-4
	Battery Indication	Level 0-4
	Power On/Off Animation	Yes
	Network Display	Yes
	Wallpaper	Yes

Keypad

0 ~9 * #	Yes
Power Button	Yes
Call Button	Yes
Cancel Button	Yes
Mute Button	Yes
Handsfree Button	Yes
Last Number Redial Button	-
Navigation Button	-
Memory Button	No (can add expansion module)
Function Button	-

Call

Call History	Unlimited
Speed Dial	Yes
FDN	Yes
ECT	Yes
DTMF	-
Auto Redial	Yes
Voice-Mail	Yes
Conference Call	Yes
USSD	Yes

Audio

Speaker	Mono Speaker
Polyphony	72
Midi Ring	Yes
Headset	3.5mm Jack/Bluetooth
EHS Compatible	Yes
Keypad Sound	Yes
Voice Channel Switch	Receiver & Handsfree, BT
Power On/Off Audio	No (not support now)
Volume Level	1-6

Security

SIM Lock-SIM	No (not support now)
Phone Lock	Yes
Network Lock	No (not support now)
Power ON Code	Yes
Special SIM Support	Yes
Pin Lock-PIN	Yes
Security Configuration	Yes

Data

SAT	Yes
USB Modem	Yes
PC Sync	Yes
IP Centrex	Yes (via 3rd party App)

Tools

Calculator	Yes
Alarm	Yes
Calendar	Yes
Input/Message	
Input Switch	-
Symbol Switch	-
SMS	Yes

Phonebook

Caller ID Display	Yes
Capacity	Unlimited
Copy	Yes
Group	Yes
Contact Editing	Yes

Accessories

Data and Charging Cable	Yes
User Manual	Yes
Charger	2Pin (3Pin optional)

Expansion Module

Display	144*36mm LCD (Black & White)
Speed Dial	20 contacts per module Yes Maximum 3
Virtual Presence Additional Units	

Approved Standards

CE	Yes
RoHS	Yes
SAR	1.04W/Kg

Tecdesk Smart 5500 Expansion Module

Expand contact capacity on your
TD Smart 5500


Specifications

5.8" black and white LCD display

Dimensions: 105*180*115 (mm)

Virtual Presence status indicator for contacts within the group

Add 20 extra contacts per extension module



tecdesk

Fixed Wireless Phones

Téléphone de bureau à carte SIM

tecdesk.com